



**Strainrite**<sup>®</sup>  
**FENCING SYSTEMS**

## PRODUCT CATALOGUE





## WELCOME TO STRAINRITE FENCING SYSTEMS




Strainrite Fencing Systems is a privately owned, New Zealand based manufacturer of high quality fencing tools, fencing equipment and electric fence products.

Our products are developed and tested in the field with farmers and fencing contractors—and then manufactured in our local facility.

We have been developing and manufacturing fencing products in New Zealand for 46 years. Our reputation is not one of an assembly line, global sourcing, corporate manufacturer, but rather as a market-driven innovator and NZ manufacturer of extremely high quality products. Products and solutions developed with feedback from people just like you!

Director



Maurice Wooster



## INTERACTIVE CATALOGUE

NOW AVAILABLE FROM [WWW.STRAINRITE.CO.NZ](http://WWW.STRAINRITE.CO.NZ)

Our interactive catalogue is now available online via [www.strainrite.co.nz](http://www.strainrite.co.nz)

By pressing the RED play button, you are able to view our instructional video for that product.

Is there a demonstration or fencing tip that you would like to see?

Drop us a line on the CONTACT US form on the website.



Press these links below to  
visit our channels  
[www.strainrite.co.nz](http://www.strainrite.co.nz)



Find us on  
Facebook

# Table of Contents

## Wire Tensioning

Wire Strainers	1
Chain Strainers	3
Wire Tensioning	4
Netting Boards & Sets	6

## Wire Jennys

7

## Tools & Equipment

Cutters & Pliers	10
Crimping Tools	12
Spades & Shovels	14
Post Hole Tools	15
Drivers	16

## Electric Fencing

Post Lifters & Stay Holders	17
Batten / Stay Holding Tools	18
Ground Anchors	19
Irrigator Crossing Systems	20
Agri Energizer Range	21
Standard Energizer Range	30
Electric Fence Accessories	33
Electric Fence Activators	35
Insulators	36
Electric Fencing Wire Strainers	40
Lead Out Cable & Wire	41
Fence Reels, Parts & Accessories	43
Bungy Cord & Accessories	44
Gateway Solutions	45
Electric Fencing Tape & Wire	47
Pigtail Standards, & Tread-Ins	49
Dura-Top Pigtails & Hotposts	50
Outriggers	51
Poultry Kits	53
Stockposts / Y Posts	54

## Abattoir Meat Hooks & Gambrels

55

## Contact us

56



### XT1 RATCHET STRAINER

**Features:**

- The most versatile wire strainer
- 2 plane ramp for guidance of wire onto spool
- Frame with locking notch for improved performance and strainer integrity
- Galvanised reinforced frame and spring clip providing corrosion protection
- Wire Capture Lug for straining existing wires
- 11 tooth spool for finer control of wire tension



Product	Part No.
XT1 Ratchet Box of 25	FST00160
XT1 Ratchet Drum of 650	FST00016

### CLIPLOCK STRAINER

**Features:**

- Oval hole in spool for joining two wires
- Smooth clicking action
- Ability to thread onto wire = less joins
- Easily operated upside down



Product	Part No.
Cliplock Bag of 5	FST00078
Cliplock Box of 25	FST00080
Cliplock Bucket of 30	FPP00050
Cliplock Crate of 80	PST00011
Cliplock Bag of 100	FST00085
Cliplock Drum of 650	FST00015
Cliplock Pallet Box of 1000	FST00200
Quik-Clip Cliplock Bag of 5	FST00410



### SPRING PIN STRAINER

**Features:**

- Combines features of the Drop Pin and Cliplock Wire Strainer.
- Spring loaded pin.

Product	Part No.
Spring Pin Box of 25	FST00055
Spring Pin Bucket of 30	FPP00200
Spring Pin Bag of 100	FST00058
Spring Pin Drum of 650	FST00240
Spring Pin Pallet of 1000	FST00270



### TRIPLEX WIRE STRAINER

**Features:**

- Traditional design with a larger spool.
- Widely used wire strainer.

Product	Part No.
Triplex Box of 25	FST00150
Triplex Crate of 100	PST00150
Triplex Bag of 100	FST00155



## DROP PIN STRAINER



Features:

- Traditional ratchet and pawl mechanism
- Pin can be locked out for free wheel action
- Oval hole in spool for joining two wires
- Ability to thread onto wire = less joins



Product	Part No.
Drop Pin Bag of 5	FST00048
Drop Pin Box of 25	FST00050
Drop Pin Bucket of 30	FPP00060
Drop Pin Drum of 650	FST00010

## HI-STRAIN INSUL-CLIP STRAINER



Features:

- Frame designed to maximise spark distance
- Easy to operate upside down
- Specially moulded insulator nests within frame to achieve high tensile strainer strength.



Product	Part No.
Hi-Strain Insul-Clip Box of 20	FST00250
Hi-Strain Insul-Clip Bucket of 25	FPP00210
Hi-Strain Insul-Clip Drum of 550	FST00300
Quik-Clip Insul-Strainer Bag of 5	FST00450

FST00450

## HI-TEST INSUL-STRAINER



Features

- For high voltage fence installations
- Integrated strainer & insulator assembly combines high performance with strength
- Includes integral power wire connection terminal
- Design allows fence re-tensioning without the need to disconnect joint clamps



Product	Part No.
Hi-Test Insul-Strainer Box of 18	FST00170

## UNIVERSAL RATCHET HANDLE



Features:

- Specially designed to fit most common fence strainers.
- Spring-loaded ratchet pin.
- Gold passivated for increased corrosion protection.
- Use the handle to fit on the side lug for side straining.



Product	Part No.
Ratchet Handle	FRH00010



Strainrite Chain Strainers are a proven design with hard wearing features that are built tough to last. The smooth grip jaws hold all common sizes of fence wire while minimising wire damage. The claws and grips are a heat treated Spheroidal Graphite cast iron, making them durable for a long service life. The rugged steel handles are gold passivated for protection. Also includes a gold passivated chain with swivel and heavy duty rivets.

### STANDARD CHAIN STRAINER

Features:

- Heavy duty rivets and high tensile pivot bolt
- Computer-designed geometry provides effective grip on zinc/aluminium fencing wire
- Easy on the hands one piece gold zinc passivated handle 27mm dia, (1 1/16")




Product	Part No.
Standard Chain Strainer	FCS00060

### RX2 CONTRACTOR CHAIN STRAINER—REMOVABLE HANDLE

Features:

- Contractors Choice
- Removable threaded handle. 21.5mm (7/8") Diameter
- Computer-designed geometry for effective grip on zinc/aluminium fencing wire
- Strain fence wires quickly and easily




Product	Part No.
RX2 Contractor Chain Strainer - Removable Handle	FCS00702

### FX2 CONTRACTOR CHAIN STRAINER—FIXED HANDLE

Features:

- Improved casting design for effective grip on wire
- Solid one piece handle of 22mm (7/8") diameter smaller in size, ideal for frequent/contractor use
- Comes with all the hard-wearing features of a durable one-piece handle—gold zinc plating for increased corrosion protection, heavy duty rivets, tested chain and wear resistant smooth grip iron jaws.
- Strain fence wires quickly and easily
- Swivel Grab has 2 swivel ends for left/right hand use



Product	Part No.
FX2 Contractor Chain Strainer - Fixed Handle	FCS00700
FX2 Contractor Chain Strainer Swivel Grab - Fixed Handle	FCS00600

## WIRE TENSIONING

### EASY WIRE PULLER

Features:

- Easily tie off/staple wire hands free!
- Quick and easily tensions either fencing or netting wire around strainer posts
- Smooth grip wire clamp prevents wire damage
- Overall length approx 678mm (26")




Product	Part No.
Easy Wire Puller	FWT00010
Replacement Jaw/Anvil Only	SAV00020

### WIRE TENSION TESTER

Features:

- Provides easy, instant and accurate wire tension readings for 2.50mm (12 1/2 gauge)

Due late 2020



Product	Part No.
Wire Tension Tester	FTG00020

### CHAIN & GRAB ASSEMBLY

Features

- Spare parts available for all genuine Strainrite Chain Strainers
- Grab & swivel assembly with 1m (39") of Chain



Product	Part No.
Chain & Grab Assembly	FCS00012

### CHAIN STRAINER TENSION GAUGE

Features

- Rugged compact construction
- Easy to read scale
- Prevents wire damage by using correct tension
- Easily fitted to any Strainrite Chain strainer



Product	Part No.
Chain Strainer Tension Gauge	FCS00505

### ANCHOR CHAIN

Features:

- New and improved chain hook
- 2 x 1m (39") lengths of gold passivated chain
- Usable with any Strainrite Chain Strainer
- Makes straining to a post quick and easy
- Strong, durable and versatile



Product	Part No.
Anchor Chain	FAC00010

### EZEMATE CHAIN DIVERTER

Features:

- Easily fitted to any chain strainer
- Unbreakable galvanised steel construction
- Create room to work and prevent tool damage



Product	Part No.
Ezemat Chain Diverter	FEZ00100

### FASTLOK WIRE JOINER

Features:

- For 2.50mm (12 1/2 gauge) high tensile wire
- No tools required
- Reusable



Product	Part No.
Fastlok Wire Joiner Pottle of 20	FWC00092





## HANDLE & GRAB ASSEMBLY

Features:

- Replacement products for Handle & Grab Assemblies as supplied with the new Chain Strainers
- Part excludes chain & grab end

Product	Part No.
Standard Handle & Grab Assembly	SCS00051
RX2 Handle & Grab Assembly	SCS00092
FX2 Handle & Grab Assembly	SCS00049
RX2 Threaded Handle Only	SHN00120



## BOUNDARY STRAINERS, PARTS & EXTRAS



Product	Part No.
Boundary Strainer (Hook)	FBY00020
Boundary Strainer (D Shackle)	FBY00030
Boundary Handle & Hook Assembly	SBY00060
Hook & Swivel Assembly	SBY00025
Hook Only	SHK00022
Hook, Swivel & Link Assembly	SBY00035
6m (19') Chain & Hook Assembly	SBY00030





# NETTING STRAINER BOARDS

## NETTING FENCE STRAINER BOARDS & SETS



### Features:

- Press formed steel strainer boards. Compatible with most mesh, hinged and ring joint netting
- Available in either wedge clamp or threaded clamp
- **900mm (35") sets includes**  
2 x Strainer Board  
2 x Hook Type Boundary Strainers
- **1320mm (52") sets includes**  
2 x Strainer Board  
2 x Hook Type Boundary Strainers
- **1900mm (75") Set includes**  
2 x 1900mm (6') Strainer Board  
3 x Hook Type Boundary Strainers

Product	Part No.
<b>Wedge Board Options:</b>	
900mm (35") Board Only	FNB00014
1320mm (52") Board Only	FNB00024
1900mm (75") Board Only	FNB00034
900mm (35") Set	FNB00044
1320mm (52") Set	FNB00054
1900mm (75") Set	FNB00064
Wedge Only	SNB00050

Threaded Board Options:	
900mm (35") Board Only	FNB00013
1900mm (75") Board Only	FNB00033
900mm (35") Set	FNB00043
1900mm (75") Set	FNB00063
Winder Bit Only	SNT00020



FNB00013

FNB00033



FNB00014

FNB00034





### ADJUSTABLE 3 ARM FOLDING WIRE JENNY



#### Features:

- Compact, fully collapsible design
- Adjustable wire guide fingers
- Self-regulating friction hub to prevent Jenny overrun
- Gold zinc plating for increased corrosion protection
- Comes with ground spike - stand available as optional extra

Product	Part No.
Adjustable 3 Arm with Spike	FWJ00155


### PERMANENT 4 ARM WIRE JENNY



#### Features:

- Lightweight 4 arm Jenny with adjustable fingers for different coil sizes
- Self-regulating friction hub to prevent wire overrun
- Convenient handle for re-coiling used wire
- Designed for a standard 25kg (55lbs) coil of wire
- Complete with ground spike - stand available as optional extra

Product	Part No.
Permanent 4 Arm Wire Jenny	FWJ00160



### DOUBLE STACKER 4 ARM JENNY



#### Features:

- Galvanised for long-term corrosion protection
- Quick adjust wire guide fingers, 12mm (1/2") diameter for extra strength
- Self-regulating friction hub to prevent wire overrun
- Convenient handle for re-coiling used wire
- Includes extra long ground spike

Product	Part No.
Double Stacker 4 Arm Jenny	FWJ00162


### SINGLE TITAN WIRE JENNY



#### Features:

- Flip-over wire retention arms
- Superior balance for heavier wire loads
- Self-regulating friction hub
- Drop arm design for better balance
- Rugged steel construction with gold zinc corrosion protection
- Quick wire coil reloading

Product	Part No.
Single Titan Wire Jenny	FWJ00170



## WIRE JENNY DISPENSER RANGE



### DOUBLE STACKER TITAN WIRE JENNY

Features:

- Twice the wire capacity of the Single Titan Wire Jenny
- Run up to two wires at the same time
- Flip-over wire retention arms
- Superior balance for heavier wire loads
- Drop arm design for better balance
- Rugged steel construction with gold zinc corrosion protection

Product	Part No.
Double Stacker Titan Wire Jenny	FWJ00172

### HELIX WIRE WINDING JENNY



Features:

- Easily wind up old fence wire! Allows efficient vertical wire winding without bending over
- Quick release rotor for easy coil removal
- Recovered wire coil fits wire dispensing jenny for re-use
- Integral ground stand allows jenny to be used to dispense wire from the ground
- Rugged steel construction, gold passivated for corrosion protection
- Stability wings for ground use




Product	Part No.
HELIX Wire Winding Jenny	FWJ00500

### CONTRACTOR QUAD JENNY TRAILER



Features:

- Enables efficient simultaneous dispensing of 4 wires
- Designed for efficient commercial applications
- Can be coupled with a second Jenny trailer unit for 8 wire dispensing
- Galvanised Steel Jenny Trailer, built to withstand harsh weather conditions
- Hook & cradle system fitted to allow extra coils of wire to be carried



Product	Part No.
Quad Jenny Trailer	FTJ00010




### CONTRACTOR JENNYS

The Strainrite Contractor Range of Jennys feature trailer taper roller bearing hubs, and heavy steel construction designed to outlast other jenny designs in commercial use.

Features:

- Designed for dispensing 1000m (3280') coils
- Swing arms for easy individual rotor reloading
- Twin roller for bearing assembly and casting hub



Contractor Single Wire Jenny



Contractor Duplex Jenny



Contractor Quad Jenny



How to prevent Wire overrun on a Contractor Jenny

Product	Part No.
Contractor Single Wire Jenny	FWJ00270
Contractor Duplex Jenny	FWJ00280
Contractor Quad Jenny	FWJ00180

### SPARE PARTS & EXTRAS

#### Jenny Stand

Features:

- Ideal for using Jennys on hard grounds
- Painted steel construction
- Collapsible for easy transport



#### Contractor Jenny Rotor

Features:


- Designed for 1000m (3280ft) coils
- Including Axle and Bearing Assembly



#### 3 Arm Finger Guide Set

Features:

- Three replacement 3 Arm Jenny finger guides
- Washers & wing nuts included for instant replacement
- No additional parts required



#### Jenny Spike

Features:

- 19mm (3/4") diameter shaft
- Overall length 490mm (19")
- Length between brake washer & ground washer 100mm (4")



#### Titan Jenny Swing Over Arm

Features:

- Included with all Titan/Vineyard model jenny rotors
- Gold passivated



Product	Part No.
Wire Jenny Stand	FWJ00240
Double Stacker 4 Arm Stand	FWJ00242
3 & 4 Arm Jenny Spike	SGP00165
Double Stacker 4 Arm Spike	SGP00175
Titan Jenny Spike	SGP00167
Double Stacker Titan Spike	SGP00195
Contractor Jenny Rotor	FWJ00100
Titan Jenny Swing Over Arm	SWJ00280
3 Arm Finger Guide Set	FFN00155

## HAND TOOLS

### STAPLE PULLER

Features:

- Enables one handed staple pulling
- High performance wire cutter & cable stripper
- Compact ergonomic design

Product	Part No.
Staple Puller with Cable Stripper	FKX00165

### FENCING PLIER

Features:

- Cuts and twists wire
- Single tooth jaws for lifting and pulling staples
- Quality Chrome Molybdenum Steel construction

Product	Part No.
Fencing Pliers	FKX00152

### STRAINRITE HT WIRE CUTTER

Features:

- Scalloped jaw design
- Ergonomically designed handles
- Max. 4mm (8 Gauge) diameter hard wire

Product	Part No.
Strainrite HT Wire Cutter	FKX00060

### BAHCO WIRE CUTTER

Features:

- Induction-hardened precision cutting edges
- Scalloped Jaw design

Product	Part No.
Bahco Wire Cutter	FKX00050

### STANDARD WIRE CUTTER

Features:

- Lever action
- Hardened cutting edges
- Comfortable non-slip handles
- Overall length 205mm (8")

Product	Part No.
Standard Wire Cutter	FKX00100



### KNIPEX PLIER WRENCH

Features:

- Gripping plier & wrench in a single tool
- Unique cam action ratcheting system
- Instant adjusting memory button

Product	Part No.
Knipex Plier Wrench 250mm (10")	FKX00240
Knipex Plier Wrench 300mm (12")	FKX00242



### KNIPEX COBRA WATER PUMP PLIER

Features:

- High tech water pump plier
- Instant adjusting memory button
- Non-slip coated handles

Product	Part No.
Cobra water Pump Plier 250mm (10")	FKX00270
Cobra water Pump Plier 300mm (12")	FKX00272



### KNIPEX COMBO PLIERS

Features:

- Powerful gripping, bending and pulling
- 35% greater leverage than standard pliers of same length
- Suitable for cutting all common type wires
- Polished, high grade tool steel head, oil hardened and tempered
- Long cutting edges for thicker cables

Product	Part No.
Knipex Combo Plier	FKX00040
Knipex Ergo Plier (Red & Blue Grip)	FKX00042



### KNIPEX WIRE CUTTERS

Features:

- Exceptional cutting performance with minimum effort because of unsurpassably effective lever action design
- Induction-hardened precision cutting edges for soft, hard, and piano wire
- Cutting edge hardness approximately 64HRC
- Cuts items such as bolts, nails, rivets up to 5.2mm (3/16") dia
- Chrome vanadium heavy-duty steel, forged, oil-hardened
- Scalloped jaw for improved cutting performance

Product	Part No.
Knipex Scalloped Jaw	FKX00010
Knipex Straight Jaw	FKX00011



## CRIMPING TOOLS

### 5IN1 ULTRACRIMP

Compatible with all Strainrite crimp sleeves ONLY

Features:

- Staple Pulling
- Wire Crimping
- Wire Cutting
- Wire Stripping
- Heat Treated Steel Jaws



### 4IN1 EZEPULL

Compatible with Strainrite 2.5mm crimp sleeves ONLY

Features:

- Staple Pulling
- Crimps 2.5mm
- Wire Cutting
- Wire Stripping
- Heat Treated Steel Jaws



Crimping tools maintenance video now available online

### 3IN1 EZECRIMP

Compatible with all Strainrite crimp sleeves ONLY

Features:

- Wire Crimping
- Wire Stripping
- Wire Cutting
- Heat Treated Steel Jaws

Product	Part No.
5in1 Ultracrimp Tool	FEZ00060
4in1 Ezepull Tool	FEZ00050
3in1 Ezecrip Tool	FEZ00055

## CRIMP SLEEVES

Features:

- Crimp sleeves make fast, easy wire joins that exceed the breaking strain of the wire!
- All regular crimp sleeves now with water-resistant grit adhesive for all-weather application
- Crimp 4 - 5 times with fencing tool to ensure a solid crimp joint.

### 2.50mm Crimp Sleeves

1.6mm - 2.5mm or 16 - 12 1/2 gauge fencing wire

### 3.15mm Crimp Sleeves

3.15mm or 10 gauge & 1.6mm 16 gauge HT barbed wire

### 4.00mm Crimp Sleeves

3.55mm - 4.00mm (8-9 gauge) fencing wire & 2mm HT barbed wire

### 5.00mm Crimp Sleeves

4.5mm or 7 gauge fencing wire (12 1/2 gauge) mild steel barbed wire

### Barbed Wire Crimp Sleeves

2.50mm (12 1/2 gauge) mild steel barbed fencing wire

### Electric Fencing Crimp Sleeves

For clamping electrified wires to existing 2.5mm (12 1/2 gauge) wire fence

### FASTLOK Wire Joiners

For 2.50mm (12 1/2 gauge) high tensile wire

No tools required



Crimp Sleeve Range	Part No.
2.50mm (12 1/2 gauge) Pottle of 100	FWC00024
2.50mm (12 1/2 gauge) Pottle of 500	FWC00124
2.50mm (12 1/2 gauge) Pail of 1000	FWC00122
3.15mm (10 gauge) Pottle of 50	FWC00034
3.15mm (10 gauge) Pail of 500	FWC00134
3.15mm (10 gauge) Pail of 1000	FWC00132
4.00mm (9 gauge) Pottle of 50	FWC00044
4.00mm (9 gauge) Pail of 1000	FWC00142
5.00mm (7 gauge) Pottle of 50	FWC00054
5.00mm (7 gauge) Pottle of 500	FWC00154
5.00mm (7 gauge) Pail of 1000	FWC00152
Barbed Wire Crimp Pottle 50	FWC00018
Electric Fencing Crimp Pottle 50	FWC00014
Electric Fencing Crimp Pail of 1000	FWC00112

Product	Part No.
Fastlok Wire Joiner Pottle of 20	FWC00092





## GUDGEON GUIDE

Features:

- Clamps to gate post, enables correct gate positioning & full motion swing prior to drilling
- Guides drill to ensure correctly positioned gudgeon holes every time



Product	Part No.
Gudgeon Guide	FGG00030

## JAMBRO RING FASTENER GUN

Features:

- Fasten fencing to line wires at 25 metres (82ft) per minute!
- Loads quickly & easily
- Fast & reliable
- Use with **JAMBRO Ring Fasteners**
- Stainless steel jaws and precision body casting



Product	Part No.
Jambro Ring Fastener Gun	FWG12300

## JAMBRO RING FASTENERS

Features:

- High tensile ring fasteners
- For use with the JAMBRO Ring Fastener Gun



Product	Part No.
Jambro Rings Box 1000	FWG12301

## 16mm NETTING CLIP PLIERS

Features:

- Special pliers with groove to hold all netting clips
- PVC coated handles for comfort
- Colour-coded handles—red for medium / 16mm (5/8") clips



Product	Part No.
16mm (5/8") Netting Clip Pliers	FWG12405

## NETTING CLIPS

Features:

- "C" Clip for securing netting to line wires
- Convenient pack of 500
- Galvanised steel
- 16mm long (5/8") 2mm (12 gauge) diameter wire



Product	Part No.
Netting Clips 500 Pack	FWG12400



## SPADES & SHOVELS

### ACE OF SPADES

#### Features:

- Premium quality NZ made fencing spade
- Tough heat treated steel blade
- Additional tube in shaft for increased strength and balance
- Solid, rounded grip handle
- Slightly rounded spade mouth
- Spade head width 170mm (7") x height 240mm (9.5")

Product	Part No.
Ace of Spades - 1200mm (47") Short Handle	FSE00060
Ace of Spades - 1400mm (55") Long Handle	FSE00070




### RED FENCING SPADES

#### Features:

- Tough heat treated steel blade
- Shock absorbing replaceable ergonomic comfort grip makes it easy on the hands
- High tensile inner tube in base of shaft for superior strength
- Square mouth
- Spade head W 170mm (7") x H 210mm (8")

Product	Part No.
Red Fencing Spade 1200mm (47") Short	FSE00020
Red Fencing Spade 1425mm (56") Long	FSE00010
"D" Shape Handle Only	SSE00500



### POST HOLE SHOVEL

#### Features:

- Designed for removing loose dirt from post holes
- Flat side ideal for back filling / removing dirt
- Handle length 1200mm (47"), overall 1400mm (55")
- Shovel mouth W 170mm (7") x H 235mm (9")

Product	Part No.
Post Hole Shovel	FSE00090



### POWER POST SPADE

#### Features:

- Tough high quality steel
- High tensile inner tube in base of shaft for superior strength
- Tough heat treated steel blade
- Extra long shaft with no handle  
Overall length 1800mm (71")
- Blade width 205mm (8")

Product	Part No.
Power Post Spade	FSE00025




## POST HOLE TOOLS

### AUGERS

Features:

- Ideal for boring holes
- Rugged steel construction
- Easily sharpened with a file
- Various size options
- Height 1100mm (43")



Product	Part No.
Augers 100mm (4") Diameter	FAU00100
Augers 150mm (6") Diameter	FAU00150
Augers 200mm (8") Diameter	FAU00200
Augers 250mm (10") Diameter	FAU00250

### POST HOLE RAMMER

Features:

- Compaction made easy!
- Special post contoured cast iron foot.
- 1630mm (64") galvanised and capped handle.




Product	Part No.
Post Hole Rammer	FPR00200

### FENCER'S CROWBAR

Features:

- 22mm (7/8") Dia. x 1.8m (70")
- Hot forged & heat treated spring steel crowbar
- Offset flat chisel end enables greater control
- Ideal weight & balance for sustained use

Product	Part No.
Fencers Crowbar	FCB00030



### DOUBLE DIGGER

Features:

- Versatile digging tool
  - Slightly tapered hardwood handles.
  - Stainless steel blades.
- Overall length 1.8m (70")



Product	Part No.
Double Digger	FSE00050

### POST HOLE RAMMER FOOT

Features:

- Need a replacement post hole rammer foot?
- Special post contoured cast iron foot.
- Other spare parts also available.



Product	Part No.
Post Hole Rammer Foot Only	SFO00010

## DRIVERS

### STEEL POST DRIVER



#### Features:

- Reduced noise and shock on impact back through operator's hands.
- Solid welded steel construction and painted finish.
- Special design for improved service life.
- Overall height 800mm (31 1/2")  
Internal dia 54mm (2")  
Handle length 520mm (20 1/2")



Product	Part No.
Steel Post Driver	FWD00012

### POST DRIVER

#### Features:

- Improved weld/design of the handles for longer service life, reduced noise, and reduced transfer of shock back through operator's hands
- Solid welded steel construction



Product	Part No.
Post Driver 100mm 4"	FPD00022
Post Driver 150mm 6"	FPD00012
Post Driver 200mm 8"	FPD00025

### SQ BATTEN DRIVER



#### Features:

- Solid welded steel construction
- Improved design ensures improved service life, reduced noise, and reduced transfer of shock back through operator's hands
- Overall height 800mm (31 1/2")  
internal dia 57mm (2 1/4")  
internal dia 67mm (2 1/2")



Product	Part No.
SQ Batten Driver 57mm	FBA00012
SQ Batten Driver 67mm	FBA00030

### SLOTTED BATTEN DRIVER



#### Features:

- Drives battens with insulators already attached
- Solid welded steel construction with red painted finish
- Special design for improved service life
- Overall height 800mm (31 1/2"),  
internal dia 57mm (2 1/4")



Product	Part No.
Slotted Batten Driver	FBA00022

### STEEL POST DRIVER CAP

#### Features:

- Solid welded steel construction and painted finish
- Use with sledge hammer.
- Overall length 180mm (7")  
Inside diameter 54mm (2")
- Suitable for light duty driving of steel "Y" posts, tie-down posts & finish driving of earth stakes



Product	Part No.
Steel Post Driver Cap	FWD00020

### 4 ARM POST DRIVER

#### Features:

- 4 handles
- Reduced transfer of shock back through handles to operator's hands
- Inside diameter 150mm (6")



Product	Part No.
4 ARM Post Driver	FPD00014

### BATTEN DRIVER CAPS

#### Features:

- Solid welded construction
- Height 150mm (6")  
Inside Dia 57mm (2 1/4")



Product	Part No.
Batten Driver Cap 57mm	FBA00015



## POST LIFTERS & STAY HOLDERS

### STEEL POST LIFTER

Features:

- Lifts steel "Y" posts from any side
- All steel construction, heated treat SG iron grab
- Reversible and replaceable extra tough grab plate

Product	Part No.
Steel Post Lifter	FWR00010
Steel Post Lifter Grab Assembly	FWR00014
Steel Post Lifter Grab Plate Only	SWR00020



### POST LIFTER

Features:

- 2m (78") long Heavy Duty SHS Handle, 935mm (36") long chain
- Large area foot plate to prevent compressing in the ground
- Quick release chain claw makes post lifting simple and effective
- Incredibly strong



Product	Part No.
Post Lifter	FPO00010
Post Lifter Chain & Shackle Only	FSH00032

### POST PULLER CHAIN

Features:

- Easily uplifts wood posts & steel "Y" posts
- Can be attached to digger buckets
- Heavy Duty tested 10mm passivated chain
- Hook onto machinery for easy post removal



Product	Part No.
Post Puller Chain 1m (39") Chain	FPO00200
Post Puller Chain 2m (78") Chain	FPO00210

## STAY HOLDERS

### STAY HOLDER

Features:

- Heavy gauge galvanised steel
- Fits between post and brace
- Stay slides easily into position



Product	Part No.
Stay Holder	FFP00030

### HEAVY DUTY STAY HOLDER

Features:

- Manufactured from heavy gauge zinc passivated steel
- Suitable for angle / Horizontal rails



Product	Part No.
Heavy Duty Stay Holder	FFP00040
Heavy Duty Stay Holder (Carton 25)	FFP00045

### RAIL HANGER BRACKET

Features:

- Ideal for fast fitment of post rails or support stays
- Hot dipped galvanised steel for long service life
- Suitable for angle / Horizontal rails



Product	Part No.
Rail Hanger Bracket Single	FFP00050
Rail Hanger Bracket Box of 30	FFP00055

### POST WEDGE

Features:

- Provides resistance for post lifting / twisting
- Quick attachment to post
- Drives well into hard ground
- Hot dip galvanised
- Ideal for long term ground conditions
- Use with galvanised nails for best results
- Approx 147mm (6") length



Product	Part No.
Post Wedge	SAN00030



## BATTEN / STAY HOLDING TOOLS

### BATTEN HOLDER

Features:

- Staple battens to a strained fence without leaning over wire
- Adjustable lever position
- Left or right handed operation




Product	Part No.
Batten Holder	FBA00060

### ADJUSTABLE BATTEN CLAMP

Features:

- Truly hands-free batten holder that attaches quickly and easily. Built tough to last!
- Adjustable for all common batten sizes
- Gold passivated for increased corrosion protection



Product	Part No.
Adjustable Batten Clamp Contractor	FBA00045

### BATTEN SQUARE

Features:

- Fast batten positioning; vertically & square
- Designed to minimise wind resistance
- Light weight, long lasting aluminium



Product	Part No.
Batten Square	FBA00070

### BUNGY BATTEN SPACER

Features:

- Evenly space battens between posts.
- Preset yellow mould to 5 battens per post
- 8mm premium solid core bungy



Product	Part No.
Bungy Batten Spacer	FCO00025

### HEAVY DUTY POST CHISEL

Features:

- **General Purpose Fencing Chisel**
- Forged from Solid High Carbon Steel
- 45mm (1 3/4") Head
- Milled Cutting Edge



Product	Part No.
Heavy Duty Post Chisel	FCI00012

### EZECUT FENCER'S CHISEL

Features:

- **Contractors Choice High-Quality Chisel**
- Forged from Solid High Carbon Steel
- 37mm (1 7/16") Head
- Surface Ground and Whetstone



Product	Part No.
EzeCut Chisel	FCI00020

### STAPLE PICK

Features:

- Easily removes batten staples & post staples



Product	Part No.
Staple Pick	FPI00005

### WIRE TWISTER

Features:

- Used for neat and easy wire tying



Product	Part No.
Wire Twister 78mm (3")	FTW00020
Wire Twister 106mm (4")	FTW00030




### TALON GROUND ANCHOR

Features:

- Quick and easy installation into most compact soils
- Hot dipped galvanised steel for long term performance
- Provides immediate high loading carrying capacity
- Overall length 1150mm (45"), 10mm (3/8") dia post

Product	Part No.
Talon Ground Anchor	SAN00010



### HARPOON GROUND ANCHOR

Features:

- Fast installation with mechanical post drivers, provides immediate high load carrying capacity
- Specially designed for use in tough rocky ground
- Suits organic compliant application
- Can be used to reinforce existing strainers or with your new installation
- Hot dip galvanised for longevity

Product	Part No.
Harpoon Ground Anchor	SAN00020



### HARPOON 55MM WINGED GROUND ANCHOR

Features:

- Fast installation with mechanical post drivers, provides immediate high load carrying capacity
- Suitable for a range of soil conditions
- Suits organic compliant application
- Tie rod length 1200mm (47")


Product	Part No.
Harpoon 55mm Winged Ground Anchor	SAN00025



### SUREFLEX VINEYARD SPRINGS

Features:

- Allows for lift or cordon wire length extension for optimal pruning machine operation
- Provides tension protection for vine trellis wires
- Klima-Sureflex springs incorporate internal length restrictor



Product	Part No.
Sureflex Lift Wire Spring	FSP00288
Klima-Sureflex Lift Wire Spring Strainer, Restrictor	FSP00290
Klima-Sureflex Cordon Wire Spring with Restrictor & Strainer	FSP00301

## IRRIGATOR CROSSING SYSTEMS

### SUREFLEX IRRIGATOR SPRINGS

Features:

- Provides controlled fence expansion with maximum length, internal restrictor wires
- All options include restriction wire & spring
- Spring length 976mm (38")  
Max length after extension 1800mm (71")

Product	Part No.
Sureflex Irrigator Spring	FSP00210
Sureflex Irrigator Spring/Strainer	FSP00220
Sureflex Irrigator Spring/Insulator	FSP00230
Sureflex Irrigator Spring Complete	FSP00240



### ENDURANCE PIVOT CROSSING PIPE

Features:

- Installed horizontally on fence wires
- 10 x 1.5m, 3/4" predrill Poly Pipes
- UV stabilised for long service life



Product	Part No.
Endurance Pivot Crossing Pipe	FIN00350

### ENDURANCE PIVOT CROSSING LADDER KIT

Features:

- Installed vertically on anchor ties
- 20 x 1m, (1/2") Poly Pipes  
1 x 50m (164') Bayco wire  
20 x "D" shackles  
20 x 5mm crimp sleeves
- 1 kit does 10 crossings

Product	Part No.
Endurance Pivot Crossing Ladder Kit	FSP00250

### FENCE DEFENDERS PEG KIT

Features:

- For protecting fence stands in conjunction with pivot irrigators
- 2 x 1.3m (51") x 8mm (5/16") shock cord with moulded ends
- 2 x Ribbed Nylon securing pegs



Product	Part No.
Fence Defender Peg Kit	FCO00022

### FENCE DEFENDERS WIRE CLIPS

Features:

- Clip fits 3 diameters of wire
- Clamps shock cord to fence wire
- UV resistant



Product	Part No.
Fence Defender Wire Clips 10 Pack	FCO00023

### IRRIGATION FLUSHING VALVE

Features:

- Irrigation flushing valve
- Multistop Lateral Valve System
- Use with our Solcor cord to control the expansion and contraction of dripline irrigation
- UV resistant



Product	Part No.
Irrigation flushing valve	FCO00024

### SPRING BACK WAND GATE

Features:

- Electric fence gate system
- Enables centre pivot irrigator wheels and vehicles to pass through the flexible electrified 900mm (35") gate wands
- Unique bayonet locking system enables fast installation or replacement if required
- Provides effective large stock control
- Use Strainrite Electric Bungy Cord at lower level for sheep control



Product	Part No.
Wand Gate 900mm (35") 10 Pack	FSP00115
Wand Gate Insulator Only	SIN00010



# AGRI ENERGIZERS

## Electric Fence Energizer Range

### A NEW GENERATION FOR ELECTRIC FENCING

Strainrite's Agri energizers aim to provide you with the best solutions to meet and exceed your requirements. With features such as Adaptive Power Technology and eco-minded solutions such the LiFe battery.

### ADAPTIVE POWER TECHNOLOGY (APT)


Strainrite's Agri Energizer's use of patented Adaptive Power Technology (APT) on selected models ensures maximum power is delivered to the fence while minimising power losses along the fence line. With APT the energizer detects and responds to changing environmental factors, such as weather conditions (wet/dry) and vegetation growth on the fence, and adapts to the changing needs of the fence by maximising fence power and efficiency underneath the point of arcing.

A safety benefit of APT is the reduced risk to stock being severely harmed by the energizer. APT detects the fault/stock on the line. It will reduce the charge to maintain the fence. APT will continue to test the fence line until the stock is cleared and then return to normal operating levels.

Graph depicting the fault / Arc level in **YELLOW** introduced.

APT in **GREEN** recognising the fault and maintaining the power under the arc level to the fence.

Common energizers in **RED** ramping up power to overcome the fault and potentially going to dead short.



### ADVANCED BATTERY TECHNOLOGY



Selected Solar energizers marked with the LiFe Battery logo contain an environmentally-friendly battery. LiFe Battery utilises advanced Lithium Iron Phosphate (LiFePO4) batteries which are superior to standard chemical batteries and can be disposed of in general waste.

**SAFE** No caustic or hazardous materials.

**RELIABLE** Long life cycle with no memory fade

**READY** Can sit in storage for a long period and remains deployment ready

**2 YEAR FACTORY WARRANTY ON BATTERY**



## AGRI ENERGIZERS

### PETSTOP KIT & PET ENERGIZER

SOLAR POWERED DIY KIT

OR BATTERY OR MAINS POWERED

Designed to keep pets out of specific areas such as flowerbeds, vegetable gardens and refuse areas. Also a great option for a backing gate.

Available as 25m complete solar fence kit or Energizer only with mains power.

Energizer Only Features:

- Powers up to 3km of fence
- Mains power adapter (Included)
- Mounting options (wall, fence wire or wood post)
- Robust weather-resistant system
- Lightning protection
- 2 hectares / 5 acres



OUTPUT ENERGY	0.3J
STORED ENERGY	0.5J
MAX VOLTAGE	7.5kV

UP TO  
**3km**

Product	Part No.
Agri Pet 3	FEN00403
PETSTOP KIT	FEN00401

For more info visit [www.strainrite.co.nz](http://www.strainrite.co.nz)

### AGRI 5

BATTERY OR MAINS POWERED

Features:

- Powers up to 5km of fence
- Mains power adapter (Included)
- Adaptive Power Technology Enabled
- Lightning protection
- Robust weather-resistant system
- Battery charge state indicator
- Energizer overload indicator
- Day/night sensor
- Mounting options (wall, fence wire or wood post)
- Optional LCD Remote Programmer
- 2.8 hectares / 7 acres



OUTPUT ENERGY	0.5J
STORED ENERGY	0.8J
MAX VOLTAGE	8.5kV

UP TO  
**5km**

Product	Part No.
Agri 5	FEN00405



### AGRI 10

BATTERY OR MAINS POWERED

Features:

- Powers up to 10km of fence
- Mains power adapter (Included)
- Adaptive Power Technology Enabled
- Lightning protection
- Robust weather-resistant system
- Battery charge state indicator
- Energizer overload indicator
- Day/night sensor
- Mounting options (wall, fence wire or wood post)
- 6.4 hectares / 16 acres



Optional

OUTPUT ENERGY	1.0J
STORED ENERGY	1.65J
MAX VOLTAGE	10kV

UP TO  
**10km**

Product	Part No.
Agri 10	FEN00410



### AGRI 20

BATTERY OR MAINS POWERED

Features:

- Powers up to 20km of fence
- Mains power adapter (Included)
- Adaptive Power Technology Enabled
- Lightning protection
- Robust weather-resistant system
- Battery charge state indicator
- Energizer overload indicator
- Day/night sensor
- Mounting options (wall, fence wire or wood post)
- 12.8 hectares / 32 acres



Optional

OUTPUT ENERGY	2.0J
STORED ENERGY	3.3J
MAX VOLTAGE	10kV

UP TO  
**20km**

Product	Part No.
Agri 20	FEN00420



AGRI 30



BATTERY OR MAINS POWERED

Features:

- Powers up to 30km of fence
- Mains power adapter (Included)
- Adaptive Power Technology Enabled
- Lightning protection
- Robust weather-resistant system
- Battery charge state indicator
- Energizer overload indicator
- Day/night sensor
- Mounting options  
(Wall, Fence wire, Wood post, Steel Post)
- +100Ah battery or greater recommended
- 20 hectares / 50 acres



Optional

OUTPUT ENERGY	3.0J
STORED ENERGY	4.4J
MAX VOLTAGE	9kV

UP TO  
**30km**

Product	Part No.
Agri 30	FEN00430



AGRI 50



BATTERY OR MAINS POWERED

Features:

- Powers up to 50km of fence
- Mains power adapter (Included)
- Adaptive Power Technology Enabled
- Lightning protection
- Robust weather-resistant system
- Battery charge state indicator
- Energizer overload indicator
- Day/night sensor
- Mounting options  
(Wall, Fence wire, Wood post, Steel Post)
- +100Ah battery or greater recommended
- 32 hectares / 80 acres



Optional

OUTPUT ENERGY	4.6J
STORED ENERGY	6.5J
MAX VOLTAGE	9kV

UP TO  
**50km**

Product	Part No.
Agri 50	FEN00450



AGRI 1 SOLAR

SOLAR INTERNAL BATTERY

Features:

- Powers up to 1km of fence
- Large 5W solar panel for a quick charge
- Robust solar bracket and weather-resistant housing
- Steel Post mounting
- Solar panel charge state indicator
- Internal Lithium Iron Phosphate Battery (LiFe)
- Battery charge state indicator
- Deep sleep mode for battery safe mode storage
- On/off TAG
- Day/night sensor
- Lightning protection
- 0.64 hectares / 1.6 acres



OUTPUT ENERGY	0.10J
STORED ENERGY	0.125J
MAX VOLTAGE	7.1kV

UP TO  
**1 km**

Product	Part No.
Agri 1 Solar	FEN00501



AGRI 3 SOLAR

SOLAR INTERNAL BATTERY

Features:

- Powers up to 3km of fence
- Large 5W solar panel for a quick charge
- Robust solar bracket and weather-resistant housing
- Steel Post mounting
- Solar panel charge state indicator
- Internal Lithium Iron Phosphate Battery (LiFe)
- Battery charge state indicator
- Deep sleep mode for battery safe mode storage
- On/off TAG
- Day/night sensor
- Lightning protection
- 2 hectares / 5 acres



OUTPUT ENERGY	0.26J
STORED ENERGY	0.33J
MAX VOLTAGE	10kV

UP TO  
**3km**

Product	Part No.
Agri 3 Solar	FEN00503



AGRI 5 SOLAR



SOLAR INTERNAL BATTERY

Features:

- Powers up to 5km of fence
- Large 10W solar panel for quick charge
- Robust solar bracket and weather-resistant housing
- Steel Post mounting
- Solar panel charge state indicator
- Internal Lithium Iron Phosphate Battery (LiFe)
- Battery charge state indicator
- Deep sleep mode for battery safe mode storage
- On/off TAG
- Day/night sensor
- Lightning protection
- 2.8 hectares / 7 acres



OUTPUT ENERGY	0.47J
STORED ENERGY	0.55J
MAX VOLTAGE	12kV

Product	Part No.
Agri 5 Solar	FEN00505

UP TO  
**5km**



AGRI 8 SOLAR



SOLAR INTERNAL BATTERY

Features:

- Powers up to 8km of fence
- Large 10W solar panel for quick charge
- Robust solar bracket and weather-resistant housing
- Steel Post mounting
- Solar panel charge state indicator
- Internal Lithium Iron Phosphate Battery (LiFe)
- Battery charge state indicator
- Deep sleep mode for battery safe mode storage
- On/off TAG
- Day/night sensor
- Lightning protection
- 5.4 hectares / 12.8 acres



OUTPUT ENERGY	0.68J
STORED ENERGY	0.825J
MAX VOLTAGE	12kV

Product	Part No.
Agri 8 Solar	FEN00508

UP TO  
**8km**



### AGRI 25 SOLAR

SOLAR OR BATTERY

Features:

- Powers up to 25km of fence
- Large 20W solar panel
- Adaptive Power Technology Enabled
- Robust weather-resistant system
- Built-in solar regulator with a power management system for easier connection and portability
- Built-in battery polarity protection
- Battery charge state indicator
- Energizer overload indicator
- Day/night sensor
- Steel Post mounting
- Lightning protection
- 16 hectares / 40 acres



Optional

OUTPUT ENERGY	2.3J
STORED ENERGY	3.1J
MAX VOLTAGE	9kV

UP TO  
**25km**

Product	Part No.
Agri 25 Solar	FEN00525



### AGRI 50 SOLAR

SOLAR OR BATTERY

Features:

- Powers up to 50km of fence
- Large 40W solar panel
- Adaptive Power Technology Enabled
- Robust weather-resistant system
- Solar panel charge state indicator
- Built-in solar regulator with a power management system for easier connection and portability
- Built-in battery polarity protection
- Battery charge state & energizer overload indicator
- Day/night sensor
- Steel Post mounting
- Lightning protection
- Angle-adjustable solar mounting bracket included (mounting pole not included)
- 32 hectares / 80 acres



Optional

UP TO  
**50km**

OUTPUT ENERGY	4.6J
STORED ENERGY	6.5J
MAX VOLTAGE	9kV



Product	Part No.
Agri 50 Solar	FEN00550



### DRUID

#### Features:

- Ideal choice for long distance parallel electric fencing systems
- Built-in alarm monitors faults on the high voltage and earth fence wires
- Lightning and power surge protection
- Easy-to-use tag included for controlling the energizer
- The LCD background colour changes to fence condition
- Powered by 240V mains includes built-in battery for back-up
- Optional keypad for controlling and programming the energizer.
- 82 hectares / 200 acres

UP TO  
**130km**



<b>OUTPUT ENERGY</b>	<b>13.8J</b>
<b>STORED ENERGY</b>	<b>21J</b>
<b>MAX VOLTAGE</b>	<b>9kV</b>

Product	Part No.
Druid 114	FEN00490
Keypad	FEN00491



### LCD REMOTE PROGRAMMER

#### Features:

- Programming remote for the Agri Energizers
- Adjustable fence voltage
- Adjustable pulse rate
- Adjustable Day/Night mode
- Adjustable Overload indicator
- Battery Voltage report
- Fence voltage report
- Energizer security lock



Product	Part No.
LCD Remote Programmer	FEA00140

### LIGHTNING INHIBITOR & DIVERTER

#### Features:

- Designed to operate in areas of high lightning strike rates
- Stainless steel parts
- UV stabilised housing
- Inhibits lightning to energizer
- Diverts lightning to earth
- Easy Installation
- Mounts to flat and curved surfaces



Product	Part No.
Lightning Inhibitor & Diverter	FLD00030

### FENCE SCOPE

#### Features:

- The Fence Scope is a 4 in 1 tool, which helps diagnose problems on your fence to optimize electric fence installation and ensure that the fence continues to operate at ideal levels
- Fence Probe mode: quickly indicates the direction of a fence fault, showing the voltage and current
- Fence energy mode: accurately measures the true output energy along the fence.
- Fence scope mode –this can record and display wave forms of the electric fence pulse. Distortions in the wave form (wave shape) generally indicate that there are fence faults
- Fence noise mode: assists in finding cracked or broken insulators, sparks and shorts along the fence.

Product	Part No.
Fence Scope	FEA00150
Fence Scope Pouch	FEA00160





## ENERGIZERS

### MAINS BATTERY

**MX80 / MX160 / MX320** 8/20/25km

Compact 230/240v single output energizers.

- 230/240v mains input
- Wall mount (Not available on the MX80)
- Pulse indicator
- 3 year warranty
- MX80 3 hectares / 8 acres
- MX160 7 hectares / 17 acres
- MX320 10 hectares / 25 acres

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
MX80	0.8J	0.45J	7.5kV	FEN00290
MX160	1.6J	1.4J	9.0kV	FEN00295
MX320	3.2J	2.25J	9.0kV	FEN00300



**MX600** 40km

High output mains energizer with dual high/low output and fence efficiency indicator.

- 230/240v mains input
- Wall mount
- Dual output—high/low
- Fence load LED indicators
- 3 year warranty
- 16 hectares / 40 acres

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
MX600	5.7J	4.2J	9.5kV	FEN00315



### UNIPOWER

**MXB240** 12km

Features:

- Runs from either 12v battery or mains power supply; allows flexibility for location
- Input voltage 12vDC and 230vAC
- Low battery/pulse indicator
- Weatherproof enclosure
- 5 hectares / 12 acres

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
MXB240	2.4J	1.2J	8.1kV	FEN00260





**BX4** 0.8km

Features:

- Ideal for strip grazing up to 800m
- Durable UV Stabilised hanging case
- Operates from internal 2 x D-cell torch batteries for optimum portability
- Hangs on the fence line or earth stake

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
BX4	0.4J	0.3J	9.7kV	FEN00210



**BX18** 2.5km

Features:

- Ideal for strip grazing up to 2.5km
- Durable UV Stabilised hanging case
- Operates from either internal 4 x D-cell batteries or 1 x 6v battery internal or external 12v battery **(Batteries not included)**
- Hangs on the fence line or earth stake

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
BX18	0.18J	0.12J	10kV	FEN00220



**BX320** 25km

Features:

- 12v powerful energizer with dual level output. Suitable for a wide range of applications where mains power is not available
- Operates from a 12v external battery
- High & low power settings
- Rigid, stable 4 prong stand
- 10 hectares / 25 acres

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
BX320	3.2J	2.24J	4.9kV	FEN00235



## ENERGIZERS

**SX34**

**3km**

Features:

- Sealed rechargeable 7 Amp/hr battery fitted internally. Charger included
- Fitted with 5 watt solar panel
- Panels carefully matched to replace energy used while operating
- 1 hectares / 3 Acres

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
SX34	0.34J	0.25J	9.3kv	FEN00355



**SX67**

**5km**

Features:

- Sealed rechargeable 12 Amp/hr battery fitted internally. Charger included
- Fitted with 10 watt solar panel
- Panels carefully matched to replace energy used while operating
- 2 hectares / 5 Acres

Product	Stored Joules	Output Joules	Max. Voltage	Part No.
SX67	0.67J	0.50J	9.1kv	FEN00360



### 12 VOLT BATTERY

Features:

- 12V 7Ah Battery
- Rechargeable
- Sealed lead battery
- Suitable for most Solar units

Product	Part No.
12 Volt Battery suitable for solar units	FEA00110



### EARTH STAKE



Features:

- Multi wire aluminium clamp system
- Profile design for ultimate surface to ground contact
- Overall length 2m, width 30.4mm

Product	Part No.
Earth Stake	FES00010



### Earth Stake Advice

Earthing ground rod requirements: Approx 1 x 2m long galvanised ground rod for each 5j of energizer energy (Minimum of 1)

(Earth rods should be installed at least 10m away from any mains earth, power supply or telephone cables)

\* Distance figures stated are maximum single wire (Km) Effective performance for multiwire distance will be affected by fence.



## FAULT FINDER



Features:

- Shows peak voltage, peak current, and direction to the fault in all electric fences
- No second connection required



Product	Part No.
Fault Finder	FET00010

## KV TESTER

Features:

- Self earthing fence tester with bright LED display
- Reads up to 10kV
- Runs on 2 x CR2016 batteries



Product	Part No.
KV Tester	FEA00060

## DIGITAL VOLT METER

Features:

- Digital self earthing tester for accurate kV reading up to 10kV
- Accurate digital display
- For use on all electric fencing systems.
- Runs on 1 x CR2032 battery.



Product	Part No.
Digital Volt Meter	FEA00070

## FENCE SCOPE

Features:

- The Fence Scope is a 4 in 1 tool, which helps diagnose problems on your fence to optimize electric fence installation and ensure that the fence continues to operate at ideal levels
- See page 25



Product	Part No.
Fence Scope	FEA00150

## ENERGIZER CONNECTOR CLIPS & LEADS

Features:

- Plastic connector clip with an insulated silicone coating for extra protection
- Stainless steel spring & jaw preventing erosion and rust
- Easy wire attachment allowing easy termination



Product	Part No.
Twin Clip Terminal Set	FCL00100
Single Jumper Lead Connector	FCL00120
Multi Jumper Lead Connector	FCL00130
Battery Leads	FCL00300

## SPLIT BOLT WIRE JOINING CLAMP



Features:

- For use on all live earth wire connections
- Provides a suitable electrical connection
- For use with galvanised wire up to 2.5mm



Product	Part No.
Split Bolt Wire Joining Clamp Bag 25	FWC00100

## L-JOINT WIRE CLAMP



Features:

- Quality NZ made L-Joint wire clamp
- For use on all live earth wire connections.



Product	Part No.
L-Joint Wire Clamp Bag 10	FWC00200

## ACCESSORIES

### ELECTRIC FENCE SIGN

Features:

- Double sided with permanent print
- UV stabilised
- AUS/NZ standards compliance



Product	Part No.
Electric Fence Signs 10 Pack	FSI00010

### CUT OUT SWITCH (Box of 10)

Features:

- Simple operation & isolation of permanent electric fences
- On/Off status easily seen from a distance



Product	Part No.
Cut Out Switch Box of 10	FGS00010

### FLOOD GATE CONTROLLER

Features:

- Prevents fence from shorting
- Reduces power loss when flood water contacts the electric fence line



Product	Part No.
Flood Gate Controller	FFI00020

### LIGHTNING INHIBITOR & DIVERTER

Features:

- Inhibits lightning to energizer
- Diverts lightning to earth
- Stainless steel parts
- UV stabilised housing



Product	Part No.
Lightning Inhibitor & Diverter	FLD00030

### LIGHTNING ARRESTOR

Features:

- Diverter switch for lightning protection
- Installation on wall or fence



Product	Part No.
Lightning Arrester	FLD00020

### FENCE FLASHER STAINLESS BLUE

Features:

- Indicates power on the fence
- Visible from up to 1km at night
- No batteries required
- The frequency of the flashing LEDs indicates the amount of energy on the fence. The longer the period between flashes, the lower the voltage on the fence.



Product	Part No.
Fence Flasher Stainless Blue	FEA00130

### VOLTAGE INDICATOR

Features:

- Flashes to indicate fence is operating at effective level
- Easily attaches to your electric fencing wire, rope or tape
- Flashes green when voltage above 2000v
- Runs on 1 x CR2016 battery



Product	Part No.
Voltage Indicator Flasher	FEA00090

### VOLTAGE ALARM

Features:

- Indicator flashes if voltage drops below pre-set level
- Switch on front allows choice of 2 pre-set levels 2000v or 4000v
- Clips on to fence (no earth connection needed)
- Runs on 1 x CR2016 battery



Product	Part No.
Voltage Alarm	FEA00120

## ACTIVATOR STRAP POST INSULATOR



Features:

- Unique revolutionary post termination insulator
- Enables multiple gate handle connections
- Eliminates protruding activator plates
- Saves time and money with single strap installation



Product	Part No.
Activator Strap Post Insulator 10pk	FIN00400



## ELECTRIC FENCE ACTIVATORS

Features:

- Quick & easy gateway solution; multiple hook up options
- Premium performance Joule Shield Wood Post Pinlock Insulator, manufactured from corrosion resistant polymer for strength and long life
- Simply clamp activator plate to underground cable



Product	Part No.
Activator Plate Only 10pk	SAP00025
Activator Kit Bag 10pk	FAP00025



## TERMINATION GATE END

Features:

- Premium performance Joule Shield insulator
- Designed to sit on round or flat surfaces
- 'V-lock' system Brianex Buggy Connector



Product	Part No.
Termination Gate End 10pk	FAP00035

## PREMIUM JOULE SHIELD INSULATOR RANGE

### PROVEN PERFORMANCE

Do you hear the snapping sound on your electric fence line? Insulator short outs on electric fences are common, particularly in wet conditions, reducing the effectiveness of your energizer.


The Joule Shield wood post insulators have been independently tested against standard insulators.

The result...  
Unmatched performance in electrical retention.

The twin shield design prevents short outs and withstands 100% more voltage in wet conditions over standard insulators.

Thicker walls and structural web bracing offer greater strength, significantly reducing failure rates.

# Joule JS Shield™



### JOULE SHIELD WOOD POST CLAW INSULATOR

Features:

- Twin shield reduces power loss
- Reinforced web back bracing
- Thicker insulator walls
- Heavy duty claws
- Rounded surfaces to shed water
- Long life plastic polymer

Product	Part No.
Wood Post Claw 25 Pack	FIN00070
Wood Post Claw Bucket of 80	FIN00075
Wood Post Claw 200 Pack	FIN00078
Wood Post Claw Sack of 1000	FIN00270

Holeshot Compatible see page 29



### JOULE SHIELD WOOD POST PINLOCK INSULATOR

Features:

- Twin shield reduces power loss
- Reinforced web back bracing
- Thicker insulator walls
- Firm pinlock design
- Rounded surfaces to shed water
- Long life plastic polymer

Product	Part No.
Wood Post Pinlock 25 Pack	FIN00080
Wood Post Pinlock Bucket of 60	FIN00085
Wood Post Pinlock 200 Pack	FIN00088
Wood Post Pinlock Sack of 1000	FIN00280
Wood Post Pinlock w Stainless Bolt 100 Pack	FAP00034

Holeshot Compatible see page 29



## JOULE SHIELD STEEL POST PINLOCK INSULATOR

Features:

- Computer aided designed twin pinlock provides a strong accurate fit for locking
- Reinforced web bracing and thicker walls providing structural strength
- Rounded surfaces that shed water faster
- Joule Shield™ Twin shield flange for increased insulation performance



Product	Part No.
Steel Post Pinlock 25 Pack	FIN00040
Steel Post Pinlock Bucket of 80	FIN00045
Steel Post Pinlock 200 Pack	FIN00047
Steel Post Pinlock Sack of 1000	FIN00240

## JOULE SHIELD HIGH STRAIN END INSULATOR

Features:

- Suitable for high strain uses
- Defined high wall channels for increased insulation
- Long-life UV stabilised plastic providing high performance
- 12 year guarantee



Product	Part No.
High Strain End Insulator 5 Pack	FIN00005
High Strain End Insulator 25 Pack	FIN00017
High Strain End Insulator Bucket of 100	FIN00095

## HOLESHOT STAPLE GUN GUIDE

Features:

- Accessory attachment to fit powered staple gun  
Fits Stockade ST400i & ST400 staple guns
- Compatible with all Strainrite woodpost insulators
- Fast and effective method for installing woodpost insulators



Product	Part No.
Holeshot Staple Gun Guide	FIN00500



See the holeshot in action  
Visit [www.strainrite.co.nz](http://www.strainrite.co.nz)  
or our Youtube Channel  
Strainrite Fencing Systems  
Search: Holeshot





## INSULATORS

### W-CLAW INSULATOR

Features:

- Standard wood post claw insulator
- Heavy duty claws
- Rounded surfaces to shed water
- Long life plastic polymer
- Cost-effective solution

Product	Part No.
W-Claw Insulator 25 Pack	FIN00010
W-Claw Insulator 200 Pack	FIN00100
W-Claw Insulator Bag of 1000	FIN00200

Holeshot Compatible



### MEGA CLAW INSULATOR

Features:

- Wider heavy-duty claws to accept Horse sighter wire, larger braids
- Rounded surfaces to shed water
- Long life plastic polymer
- Colour: Black or White

Product	Part No.
Mega Claw White 25 Pack	FIN00014
Mega Claw White 200 Pack	FIN00018
Mega Claw Black 25 Pack	FIN00024
Mega Claw Black 200 Pack	FIN00028

Holeshot Compatible



### HIGH STRAIN BULLNOSE INSULATORS

Features:

- Robust design, made from engineering grade fibreglass reinforced plastic
- UV stabilised for longer life



FIN00016

FIN00050

### PORCELAIN INSULATORS

Features:

- Robust long-life, porcelain insulator
- Fire resistant—used widely in Australian fencing
- Ideal for extreme heat conditions



FIN00150

FIN00025

Product	Part No.
High Strain Bullnose Insulator White Bucket of 50	FIN00050
High Strain Bullnose Insulator Black (Single Unit)	FIN00016
Porcelain Bullnose Insulator (Single Unit)	FIN00150
Porcelain Round Insulator 10 Pack	FIN00025



## CLIP ON INSULATORS



Features:

- Fits on 6mm (15/64") & 7mm (9/32") Pigtails
- Simply clips on—no tools required
- Manufactured from UV resistant polymer for strength and long life



Product	Part No.
Insulators Clip-On Black Bag of 25	FIN00065
Insulators Clip-On White Bag of 25	FIN00066



## WOOD POST RING INSULATOR

Features:

- Galvanised screw for corrosion protection
- Uniquely angled slot for wire retention
- Simply screws into wood posts
- 29mm (1 9/64") thread
- Length 40mm (1 37/64")
- Recommend pre-drilling into hard timbers

Product	Part No.
W/Post Ring Insulator Bag of 25	FIN00013

## INSUL-TUBE

Features:

- Economical insulator option
- Insulates electric fence wire from wooden or concrete posts
- 8mm (5/16") outside diameter
- 5mm (13/64") inside diameter, 30M roll (98')

Product	Part No.
Insul-Tube 30m (98') Roll	FIN00300



## ELECTRIC FENCING PERMANENT WIRE STRAINERS

### HI-STRAIN INSUL-CLIP STRAINER

#### Features:

- Easy to operate upside-down
- Frame designed to maximise spark distance
- Ability to thread onto wire = less joins
- Specially moulded insulator nests within frame to achieve high tensile strainer strength
- Proudly NZ-made

Product	Part No.
Hi-Strain Insul-Clip Box of 20	FST00250
Hi-Strain Insul-Clip Bucket of 25	FPP00210
Hi-Strain Insul-Clip Drum of 550	FST00300



### HI-TEST INSUL-STRAINER

#### Features

- For high voltage fence installations
- Integrated strainer & insulator assembly combines high performance with strength
- Includes integral power wire connection terminal
- Design allows fence re-tensioning without the need to disconnect joint clamps

Product	Part No.
Hi-Test Insul-Strainer Box of 18	FST00170



### QUIK-CLIP INSUL-STRAINER

The no-knots fencing solution. Quik-Clip Permanent Wire Strainers are convenient to use, reducing installation time while providing uniform strainer positioning. The wire simply clips onto itself, locking against the strainer post

Ideal for small lifestyle block owners and fencing novices unfamiliar with fencing knot application

Product	Part No.
Quik-Clip Insul-Strainer Bag of 5	FST00450



### QUIK-CLIP INSUL-TIE

#### Features:

- All the features of the Bullnose Insulator
- Cost effective and convenient to use
- Pre-formed loop and knot

Product	Part No.
Quik-Clip Insul-Tie Bag of 5	FST00480



## UNDERGROUND CABLE

Manufactured from soft galvanised wire, making it pliable and easier to work with than other high tensile versions. Double-insulated, high quality UV resistant LDPE. Easy to strip and resistant to cracking in severe frost conditions.

- We recommend running underground cable through poly pipe as a best practice solution



Underground cable installation video now available online

Product	Part No.
<b>Standard Underground Cable:</b>	
1.6mm (1/16") x 6.0mm (1/4") x 25m (82') Reel	FCA00042
1.6mm (1/16") x 6.0mm (1/4") x 50m (164') Reel	FCA00052
1.6mm (1/16") x 6.0mm (1/4") x 100m (328') Box	FCA00060

<b>Heavy Duty Underground Cable:</b>	
2.5mm (3/32") x 6.0mm (1/4") x 25m (82') Reel	FCA00102
2.5mm (3/32") x 6.0mm (1/4") x 50m (164') Reel	FCA00112
2.5mm (3/32") x 6.0mm (1/4") x 100m (328') Reel	FCA00122
2.5mm (3/32") x 6.0mm (1/4") x 100m (328') Hank	FCA00121
2.5mm (3/32") x 6.0mm (1/4") x 500m (1640') Hank	FCA00123

<b>Extra Heavy Duty Underground Cable:</b>	
2.5mm (3/32") x 8.3mm (5/16") x 25m (82') Reel	FCA00272
2.5mm (3/32") x 8.3mm (5/16") x 50m (164') Reel	FCA00282
2.5mm (3/32") x 8.3mm (5/16") x 100m (164') Reel	FCA00292
2.5mm (3/32") x 8.3mm (5/16") x 100m (164') Hank	FCA00300
2.5mm (3/32") x 8.3mm (5/16") x 500m (1640') Hank	FCA00297

Underground Cable  
in poly pipe

## LEAD OUT CABLE & WIRE

### SUPER CONDUCTIVE JOULE POWER UNDERGROUND / LEAD OUT CABLE

- Aluminium coated twin wire for greater current carrying capacity
- 8 times the conductivity of single 2.5mm (3/32") galv wire
- Ideal lead-out cable from power source
- High quality extra heavy duty mono coated red polymer insulation
- Low resistance—only 4.0 ohms per 1000m (3280')

Product	Part No.
Super Conductive Joule Power 100m (328')	FCA00490
Super Conductive Joule Power 200m (656')	FCA00495
Super Conductive Joule Power 500m (1640')	FCA00497



### HIGH CONDUCTIVE ALLY CLAD CABLE

- Strainrite's 2.6mm (7/64") Aluminium clad wire has 4 times the conductivity of standard galv wire, meaning high power transmission with minimal loss
- Now features 8.3mm (21/64") extra heavy duty double coated red LDPE Polyethylene sheathing
- Low resistance 8ohms / 1000m (3280')

Product	Part No.
High Conductive Ally Clad Cable 50m (164') Reel	FCA00502
High Conductive Ally Clad Cable 100m (328') Reel	FCA00512
High Conductive Ally Clad Cable 100m (328') Hank	FCA00515
High Conductive Ally Clad Cable 200m (656') Hank	FCA00520



### HIGH CONDUCTIVE ALUMINIUM COATED WIRE

- Strainrite's 2.6mm (7/64") Aluminium clad wire has 4 times the conductivity of standard galv wire, meaning high power transmission with minimal loss.
- Low resistance 8ohms/ 1000m (3280')

Product	Part No.
High Conductive Ally Coated Wire 500m (1640')	FCA00540
High Conductive Ally Coated Wire 1000m (3280')	FCA00550



### BAYCO WIRE (NON ELECTRIC) HORSE SIGHTER WIRE

Features:

- 4mm (5/32") diameter High density and high visibility
- Stretches under impact, minimising potential injuries
- Ideal for vertical ladder wires on irrigator crossing points
- Temperature, weather, rust & chemical resistant
- Polymer mono-filament = contains no metal
- high strength 316kg (696lbs) breaking strain

Product	Part No.
Bayco Wire 50m (164') Reel	FCA00130
Bayco Wire 100m (328') Reel	FCA00140
Bayco Wire 310m (1017') Reel	FCA00150
Bayco Wire 625m (2050') Reel	FCA00170

- Commonly used as non-electric horse sighter wire & horticultural trellis



### 3 TO 1 GEARED REEL & STANDARD REEL

Features:

- 3 TO 1 Geared reel & Standard reel
  - Designed for use with polywire and polytape
  - Approximate Capacity  
500m (1640') for polywire  
200m (656') for polytape
  - High-impact UV resistant polymer plastic for strength and long life
  - The one-piece moulded spool is self-insulated. Reinforced mag wheel fins provides spool strength
  - Insulated yellow handle included
  - Not recommended for use with steel wire
- 
- 3 TO 1 geared reel incorporates innovative self lubricating planetary gear set, Reel stabiliser & tape guide
  - One handle revolution of the geared reel rotates the spool three times



Handle included



Product	Part No.
3-to-1 Geared Reel	FGR00010
3-to-1 Geared Reel with 200m (656') Tape	FGR00015
3-to-1 Geared Reel with 500m (1640') Polywire	FGR00030
Insulated Handle Box of 20	FIH00010
Standard Reel	FGR00020
Standard Reel with 200m (656') Tape	FGR00025

### REEL STABILISER

Features:

- Reel stabilising attachment, holds the reel secure to the fence wire
- Quick one handed operation to attach / detach the reel to a fence line
- Galvanised reel stabiliser attachment is complete with bolt and handle assembly
- Mounts to most fence reels
- Standard feature on 3 to 1 Geared reels.

Product	Part No.
Reel Stabiliser	FGR00110



### REEL MOUNTING POST

Features:

- Three hole mounting post with quality passivated post chain
- Hot dip galvanised steel for long life
- Overall height 1150mm (45")



Product	Part No.
1150mm 3 Reel Mounting Post	FPO00100

### STEEL POST REEL HOLDER

Features:

- Attaches Strainrite reels to steel posts
- Very convenient
- Quality NZ made



Product	Part No.
Steel Post Reel Holder	FGR00100

## BUNGY CORD PRODUCTS

### PREMIUM ELECTRIC BUNGY CORD

Features:

- 8mm (5/16") SOLCOR UV stabilised mono solid core
- UV resistant sheath
- 4 x 0.25mm / 0.015" stainless steel wires
- High visibility reflective band
- NZ Made



Product	Part No.
Premium Bungy 50m (164')	FCO00050
Premium Bungy 100m (328')	FCO00100

### STANDARD ELECTRIC BUNGY CORD

Features:

- 7mm (9/32") electric bungy cord
- 4 x 0.18mm stainless steel wires
- UV resistant sheath
- NZ Made



Product	Part No.
Standard Bungy 50m (164')	FCO00250
Standard Bungy 100m (328')	FCO00300

### BRIANEX BUNGY CONNECTOR

Features:

- No crimping required
- V-lock system for easy adjustment
- Provides effective electrical connection



Product	Part No.
Brianex Bungy Connector 10pk	FCL00175

### SHOCK CORD CRIMP SLEEVES

Features:

- Can be used to attach bungy cord
- Easily crimp with Strainrite 3in1 Ezecrip or 5in1 Ultracrimp tool
- Provides effective electrical connection



Product	Part No.
Shock Cord Crimp Sleeves 10pk	FCL00180

### ADJUSTA CORD

Features:

- Adjustable electric Bungy cord
- Solid core 'Shock cord' and UV stabilised polymer hook
- 1m length



Product	Part No.
Adjusta Cord 6mm (15/64")	FCO00016
Adjusta Cord 8mm (5/16")	FCO00018

### ADJUSTABLE BUNGY EXTENDERS

Features:

- Quality polymer plastic bungy connector
- For use with Premium Electric Bungy Cord



Product	Part No.
Adjustable Bungy Extender 10 Pack	FCO00015

### SOLCOR SHOCK CORD – NON ELECTRIC

Features:

- Solid core, UV stabilised solid rubber core
- UV resistant sheath
- Marine Grade



Product	Part No.
Solcor Solid core shock cord 4mm (5/32") x 100m (328')	FCO00019
Solcor Solid core shock cord 6mm (15/64") x 100m (328')	FCO00020
Solcor Solid core shock cord 8mm (5/16") x 100m (328')	FCO00021



### BUNGY GATE BREAK HANDLES



#### Features:

- Virtually unbreakable—can withstand being run over, stock trampling etc
- Manufactured from high performance UV stabilised material—designed to last
- Brianex Connector not included

Product	Part No.
Bungy Handles BLACK Box of 10	FGH00035
Bungy Handles WHITE Box of 10	FGH00065
Bungy Handles YELLOW Box of 10	FGH00075
Bungy Handles ORANGE Box of 10	FGH00085
Brianex Bungy Connector Bag of 10	FCL00175



### SPRING GATE BREAK HANDLES



#### Features:

- Virtually unbreakable—can withstand being run over, stock trampling etc
- Manufactured from high performance UV stabilised material—designed to last
- Complete with exposed internal tension spring

Product	Part No.
Spring Handles WHITE Box of 10	FGH00360
Spring Handles YELLOW Box of 10	FGH00370
Spring Handles ORANGE Box of 10	FGH00380
Spring Handles BLACK Box of 10	FGH00390
Standard Spring Only	FSP00020



### GATE SPRINGS

#### Features:

- Spring suitable for 5 metre (16') gateways
- Included in White/Silver Spring Gate Kit

Product	Part No.
Gate Spring White Powder Coated	SSP00015
Gate Spring Silver Electro-Plated	SSP00016



### ACTIVATOR STRAP POST INSULATOR



#### Features:

- Unique revolutionary post termination insulator
- Enables multiple gate handle connections
- Eliminates protruding activator plates
- Saves time and money with single strap installation

Product	Part No.
Activator Strap Post Insulator 10 Pack	FIN00400





## BUNGY GATE BREAK KITS



Kit contains:

- Orange Brianex Bungy Gate Break Handle
- UV stabilised stainless steel rubber core 'Solcor' Bungy Cord with durable UV resistant polyester sheath
- Electric Fence Activator/Terminator Kit Ends



Product	Part No.
7m (23') Bungy Gate Break Kit	FGH00027
11m (36') Bungy Gate Break Kit	FGH00032

## DOUBLE HANDLE GATE BREAK KIT

Features:

- Electric Bungy Cord for up to 11m (36') gateways
- 2 x Orange Brianex Bungy Gate Break Handles
- 8m (26') of stainless steel braided solid core
- Electric fence activator & termination end




Product	Part No.
Double Handle Gate Break Kit 11m (36')	FGH00042

## 5M SPRING GATE BREAK KIT



Kit contains:

- Orange Spring Gate Break Handle
- Electric Fence Activator/Termination Ends
- White Powder coated / Silver Electro-plated Spring
- A Brianex connector—no crimping required




Product	Part No.
White Spring Gate Break Kit 5m (16')	FGH00265
Silver Spring Gate Break Kit 5m (16')	FGH00266

## 40mm TAPE GATE BREAK KIT



Kit contains:

- Orange Spring Gate Break Handle
- Electric Fence Activator/ Termination Ends
- UV Stabilised 40mm (1 37/64") Horse Tape
- Galvanised Electric Fence Tape Buckle



Product	Part No.
5m (16') Gateway 40mm Tape Gate Break	FGH00160
40mm (1 37/64") Tape Buckle Only 10 Pk	FPT00010



### MAX POWER STANDARD – Electric Fence Tape

Features:

- Resistance - 6500 ohms/km
- Tape Width 12mm (1/2")
- Six 0.15mm diameter stainless steel wires
- High conductivity
- UV Stabilised

Product	Part No.
White Max Power Standard 200m (656')	FPT00040
White Max Power Standard 400m (1312')	FPT00050
Orange Max Power Standard 200m (656')	FPT00100
Orange Max Power Standard 400m (1312')	FPT00110



### MAX POWER PLUS – Electric Fence Tape

Features:

- Resistance - 2500 ohms/km
- Tape Width 12mm (1/2")
- Six 0.22mm diameter stainless steel wires
- High conductivity: Carriers four times the power of Max Power Standard Tape
- UV stabilised

Product	Part No.
White Max Power Plus 200m (656')	FPT00020
White Max Power Plus 400m (1312')	FPT00030
Orange Max Power Plus 200m (656')	FPT00080



### HORSE TAPE

Features:

- Resistance - 1300ohms/km (40mm Tape)
- 10 Heavy-duty 0.22mm dia stainless steel wires
- UV stabilised

Product	Part No.
White Horse Tape 40mm (1 1/2") x 100m (328')	FPT00120
White Horse Tape 85mm (3 1/4") x 100m (328')	FPT00130



## ELECTRIC FENCING TAPE & WIRE

### HORSE TAPE INSULATOR ADAPTOR

#### Features:

- Galvanised steel design
- For use with 40mm or 85mm Horse tape
- Mounts to Joule Shield Pinlock Insulator (Sold Separately)

Product	Part No.
40mm Horse Tape Insulator Adapter 25pk	FPT00250
85mm Horse Tape Insulator Adapter 25pk	FPT00260
Joule Shield Wood Post Pinlock 25 Pack	FIN00080



### POLYWIRE

#### Features:

- Polywire Resistance - 4200 ohms/km
  - 15 strand HDPE UV stabilised Polywire
  - 9 strand Stainless steel 0.155mm diameter wires
  - High visibility and strength
  - UV stabilised
- 
- Super Grunt Resistance - 3000 ohms/km
  - 6 Strand 0.22mm Diameter Wire
  - Overall Diameter 3.5mm
  - High visibility and strength
  - UV stabilised

Product	Part No.
9 Strand White Polywire 200m (656')	FPW00020
9 Strand White Polywire 500m (1640')	FPW00050
Super Grunt Polywire 200m (656')	FPW00120



### BRAIDED WIRE

#### Features:

- Super-Braid Wire Resistance 4820 ohms/km
- Ultra-Braid Resistance 2250 ohm/km
- 8 strand braid
- 0.25mm stainless steel wire
- UV stabilised

Product	Part No.
Super Braid Wire 500m (1640')	FPW00180
Ultra Braid Wire 500m (1640')	FPW00200



### PIGTAIL POSTS

#### Features:

- Unique pressed design & hot dipped galvanised coated foot for optimum ground holding
- Galvanised spring steel 7mm (9/32") dia shaft provides greater bend resistance on application and superior strength
- Enhanced corrosion protection for increased durability
- UV stabilised insulator for longlasting performance
- Overall length 1040mm (41") 840mm (33") out of ground height

Product	Part No.
7mm (9/32") x 1040mm (41") 10 Pack GOLDFOOT	FPG00040
6mm (15/64") x 1040mm (41") 10 Pack	FPG00052
6mm (15/64") x 935mm (37") 10 Pack SUPERLITE	FPG00054
HORSE PIGTAIL POSTS	
7mm (9/32") x 1230mm (48") 10 Pack HORSE HOT TAPE	FPG00090



### STEEL POST TREAD-IN

#### Features:

- Galvanised spring steel shaft
- Hot dip galvanised foot
- Insulated handle prevents accidental shocks
- 5 x Unique angled clip prevents unintentional tape detachment
- Overall length 1090mm (43") 900mm (35") out of ground height

Product	Part No.
Steel Post Tread-In 10 Pack	FPG00340

### MULTIWIRE TREAD-IN POST

#### Features:

- Unique angled clip prevents unintentional tape detachment
- Unique foot wedge for superior ground holding
- 4 position level options for 40mm/1 1/2" tape
- 8 positions for polywire, polytape & braid
- Made from UV stabilised, impact-resistant polymers
- Galv spring steel centre pin for strength & longevity
- Overall length 1100mm (43") - length from base of foot 915mm



Product	Part No.
YELLOW Multiwire Tread-In Box of 50	FPG00297
RED Multiwire Tread-In Box of 50	FPG00296
WHITE Multiwire Tread-In Box of 50	FPG00295



### TAILING SCRIM STANDARD 7MM

#### Features:

- Adjustable locking hook
- Top of shaft crimped to prevent hook falling off
- Galvanised spring steel shaft
- Gold passivated foot permanently crimped to shaft
- Overall length 1365mm (53"); out of ground height 1170mm (46")

Product	Part No.
Tailing Scrim Std 7mm (9/32") x 1365mm (53") 10 Pack	FPG00080

## DURA-TOP PIGTAILS

### DURA-TOP PIGTAILS

#### Features

- The Dura-top head is designed to reduce tangling & eliminate wear
- Uniquely designed hot dipped galvanised pressed steel foot
- Solves common failures related to pigtail posts
- Revolutionary new pigtail range

Product	Part No.
DURA-TOP Pigtail 7mm (9/32") x 1040mm (41") 10 Pack	FPG00320
DURA-TOP Pigtail 6mm (15/64") x 1040mm (41") 10 Pack	FPG00310
DURA-TOP Pigtail 6mm (15/64") x 940mm (41") 10 Pack	FPG00300



**DURA-TOP™**



**HOTPOST™**  
DURA-TOP MULTI-WIRE

### HOTPOST DURA-TOP MULTI-WIRE

#### Features

- The Dura-top head is designed to reduce tangling & eliminate wear
- Uniquely designed hot dipped galvanised pressed steel foot
- Power redistributes through the spring steel shaft and clips, repowering broken wires via a parallel live wire
- Repositional tangle free spring clips

Product	Part No.
Hotpost DURA-TOP Multiwire 5 Pack	FPG00220

### TANGLE FREE HOT POST

#### Features

- The Dura-top head is designed to reduce tangling & eliminate wear
- Uniquely designed hot dipped galvanised pressed steel foot
- Extra overall length - 1040mm (41")
- Out of ground height 850mm (33")

Product	Part No.
Tangle Free Hot Post 5 Pack	FPG00200



**HOTPOST™**  
DURA-TOP TANGLE-FREE

### DUNKIT PIGTAIL CADDY

#### Features:

- Hands free, pigtail standard carrier
- Spring steel cradle with adjustable shoulder strap
- Capacity 25 standards maximum

Product	Part No.
Dunkit Pigtail Caddy	FPG00500




## OUTRIGGERS

### SIDE FIX PIGTAIL OUTRIGGERS

Strainrite Pigtail Outriggers are designed to attach an electric wire onto an existing fence to keep animals off the fence line, and reduce pressure on new fences.

The outriggers feature a UV stabilised high density insulator on a galvanised spring steel shaft for long life, and prolonging the life of an old fence. The steel ends are sharpened to ease driving into the post. Simply attaches to existing fencing.

Product	Part No.
Side Fix Outrigger 150mm (6") 10 Pack	FPG00035
Side Fix Outrigger 150mm (6") 50 Pack	FPG00135
Side Fix Outrigger 250mm (10") 10 Pack	FPG00036
Side Fix Outrigger 250mm (10") 40 Pack	FPG00136
Side Fix Outrigger 400mm (16") 10 Pack	FPG00037
Side Fix Outrigger 400mm (16") 40 Pack	FPG00137
M-STOP 1m (39") Side Fix 10 Pack	FPG00330



### TOP FIX AND DOUBLE-ENDED PIGTAIL OUTRIGGERS

Features:

- Attach electric wire onto an existing fence
- Simply attaches to existing fencing
- Prolongs the life of an old fence


Product	Part No.
Top Fix 150mm (6") 10 Pack	FPG00032
Top Fix 150mm (6") 50 Pack	FPG00132
Top Fix 250mm (10") 10 Pack	FPG00033
Top Fix 250mm (10") 40 Pack	FPG00133
Top Fix 400mm (16") 10 Pack	FPG00034
Top Fix 400mm (16") 40 Pack	FPG00134
Double Ended 650mm (25") 10 Pack	FPG00038
Double Ended 650mm (25") 40 Pack	FPG00238



### WIRE FENCE OUTRIGGERS

Features:

- Attaches easily to existing fencing
- Positively located both horizontally and vertically
- Prolongs the life of an old fence and reduces pressure on new fences
- Range 2 spring steel wire




Product	Part No.
Outrigger Wire Only Bundle of 25	FOR00035
Fence Outrigger with White Porcelain Insulator Box of 50	FOR00015
Fence Outrigger with Steel Post Pinlock Insulator Box of 50	FOR00025

## OUTRIGGERS

### STINGRAY SIDE AND TOP FIX OUTRIGGERS

Features:

- The Stingray Outrigger featuring replaceable White Clip-on Insulator
- Replacement of insulators on permanent outrigger installations in seconds
- Simple & cost effective



Product	Part No.
Stingray 250mm (10") Side Fix Outrigger Box of 50	FOR00045
Stingray 250mm (10") Top Fix Outrigger Box of 50	FOR00085
Stingray 650mm (25") Double Ended Outrigger Box of 50	FOR00048

### NEW STINGRAY STEEL POST OUTRIGGERS

Features:

- 160mm length corrosion-resistant galvanised steel, offering superior strength and performance
- Offers an innovative universal fit— easily attaches to most steel posts
- Includes UV stabilised Clip-On Insulator with stylish and improved design
- Effective in preserving the life of an old fence – built tough to last
- Easily fits either left hand or right hand options



Product	Part No.
Stingray 160mm (6") Steel Post Outrigger Box of 100	FOR00310

### M-STOP 1M OUTRIGGER

Features:

- Manufactured to MPI's guidelines for on-farm, biosecurity protection. Providing a cost- effective, permanent fixing, 1m offset outrigger to create a 2m buffer zone (1m either side of a fence line)
- NZ Made & Built Tough  
Dura-tip eliminates wear from wire movement. High strength shaft is manufactured from 7mm galvanised spring steel
- BAYCO INSUL TIE is an insulated strap ideal to secure the M-STOP Outrigger on rises & dip or snow loading
- Can also be used in conjunction with a cliplock wire strainer and D shackle to provide you with a NO KNOTS option for tying off an electric wire



Product	Part No.
M-STOP 1m Outrigger	FOR00310
Bayco Insul Tie 5 Pack	FCA00011





## POULTRY KIT

Features:

- Quick & easy way to install electric fencing for poultry
- Green netting available in 25m or 50m sizes
- Includes MXB240 energizer—operates on both 230V & 12V
- Includes KV tester, 4 corner posts, ground stake

Product	Part No.
Poultry Kit 25m (82')	FKI00010
Poultry Kit 50m (164')	FKI00020
Poultry Netting Spare Post	FKI00005

## HOT GATE

Features:

- Allows convenient access option for poultry pens without energizer disconnection
- Ties into existing poultry nets
- One hand operation

Product	Part No.
Hot Gate	FKI00030




## POULTRY NETTING

Features:

- Ideal for keeping small number of birds in a domestic setting
- Provides protection from predators
- Easy installation, convenient to store, low visual impact
- Netting complete with posts, pegs and corner guys
- Available in 25m or 50m - Excludes energizer

Product	Part No.
Poultry Netting 25m (82') No Energizer	FKI00040
Poultry Netting 50m (164') No Energizer	FKI00050
Poultry Netting Spare Post	FKI00005




## SHEEP & GOAT NETTING

Features:

- Sheep & Goat Netting Orange 50m (164')
- Ideal for containing livestock including goats, sheep etc
- Easy installation, convenient to store, low visual impact
- Includes 14 posts, 2 corner guys & repair kit

Product	Part No.
Sheep & Goat Netting 50m (164')	FKI00060





# STOCKPOST

the mark of a good post

## STOCKPOSTS & ULTRA POSTS

Features:

- Premium quality, high strength—consistency and reliability. Consistently rolled from specially produced high grade steel—we've taken the variability out of post making!
- Wider profile with improved holding power gives more resistance to pushing forces such as livestock leaning on the fence. Easy drive; points are square cut to improve drivability and minimise twisting.
- Innovative ground mark unique driving line used to gauge driving depth.
- Lasts longer: Coated with black bituminous mix and not paint—STOCKPOST® Black—traditional black bituminous coating is fully dipped and run through a 40 minute baking process to give a tougher barrier coating.
- Bend resistance tested and quality tested.
- Independent testing has shown STOCKPOST® to be the strongest standard size "Y" post on the market.



Product	Part No.
Ultrapost Black Bitumen 45cm	FWG10702
Ultrapost Black Bitumen 60cm	FWG10703
Stockpost Black Bitumen 135cm 11 hole	FWG10704
Stockpost Black Bitumen 150cm 8 hole	FWG10707
Stockpost Black Bitumen 165cm 9 hole	FWG10705
Stockpost Black Bitumen 165cm 14 hole	FWG10710
Stockpost Black Bitumen 180cm 9 hole	FWG10706
Stockpost Black Bitumen 180cm 14 hole	FWG10711
Stockpost Black Bitumen 240cm 17 hole	FWG10709
Stockpost Galvanised 150cm 8 hole	FWG10767
Stockpost Galvanised 165cm 8 hole	FWG10765
Fieldpost Black Bitumen 165cm 14 hole	FWG10785
Fieldpost Black Bitumen 180cm 14 hole	FWG10786

\*Sold in multiples of 10

## STEEL POST "Y" CLIPS

Features:

- Attaches and retains netting or fence wire to steel "Y" Posts
- Galvanised steel clip
- Supplied in 5kg packs

Product	Part No.
3.15mm Steel post Y Clips (Approx QTY 908 Clips)	FCL00010
4.00mm Steel post Y Clips (Approx QTY 607 Clips)	FCL00020



The Runrite Abattoir Equipment division offers a variety of meat hooks and abattoir equipment, many of which are tailor-made for numerous meat processing plants throughout NZ.

We also facilitate the reworking/rebrazing, stamping and testing of large quantities of beef skids and trolleys etc.

### BATCHELOR GAMBREL

Features:

- 11mm (7/16") stainless steel
- Design enables hanging by one leg
- Smooth surface finish for easier cleaning



Product	Part No.
11mm (7/16") Batchelor Gambrel	FGM00220

### PLAIN GAMBREL

Features:

- 13mm (1/2") stainless steel
- General purpose 13mm x 340mm (13") wide
- Smooth surface finish for easier cleaning



Product	Part No.
13mm (1/2") Plain Gambrel	FGM00230

### VENISON GAMBREL

Features:

- Heavy Duty 16mm (5/8") stainless steel
- 450mm (17") wide
- Smooth surface finish for easier cleaning
- Ideal for Venison



Product	Part No.
16mm (5/8") Venison Gambrel	FGM00290

### MUTTON SKID / SWIVEL HOOK / GAMBREL

Features:

- 16mm (5/8") stainless steel
- Smooth surface finish for easier cleaning



Product	Part No.
9.5mm (3/8") Gambrel Assembly	FSM30440
11mm (7/16") Gambrel Assembly	FSM01240

### MUTTON SKID / SWIVEL HOOK

Features:

- Available in both Mild Steel and Stainless Steel options
- 25mm (1") wide x 6mm (1/4") thick
- Lengths may vary



Product	Part No.
Stainless Steel Skid Assembly	FSM01320
Mild Steel Skid Assembly	FSM00120

### S HOOKS

Features:

- Quality stainless steel
- Built tough to last
- Smooth surface finish for easier cleaning



Product	Part No.
S Hook 6mm (1/4")	FHK00170
S Hook 8mm (5/16")	FHK00210

## CONTACT US

### CONTACT US

Visit the contact us page on one of our websites

### WHERE CAN I BUY?

Use the Find a store tab on the website to find your nearest Strainrite Supplier.

Cant find a Strainrite Supplier?

Use the contact form and one of friendly team will contact you back.



### NEW ZEALAND

[www.strainrite.co.nz](http://www.strainrite.co.nz)

### USA

[www.strainrite-usa.com](http://www.strainrite-usa.com)

### AUSTRALIA

[www.strainrite.com.au](http://www.strainrite.com.au)

### UK

[www.strainrite.co.uk](http://www.strainrite.co.uk)

## NEW ZEALAND FENCING SPECIALISTS

Our resident experts in fencing with a wealth of knowledge



**Lindsay Dry**

Upper North Island  
027 441 6080

[lindsay@strainrite.co.nz](mailto:lindsay@strainrite.co.nz)



**Hugh Morrison**

Lower North Island  
027 242 1611

[hugh@strainrite.co.nz](mailto:hugh@strainrite.co.nz)



**Struan Moore**

Upper South Island  
027 432 5883

[struan@strainrite.co.nz](mailto:struan@strainrite.co.nz)



**Donald Cornwall**

Lower South Island  
027 283 0714

[donald@strainrite.co.nz](mailto:donald@strainrite.co.nz)





For everything Strainrite, including product information, tips on fencing, visit [www.strainrite.co.nz](http://www.strainrite.co.nz)



Find us on  Facebook

 YouTube

[www.strainrite.co.nz](http://www.strainrite.co.nz)

**FOR ALL YOUR FENCING REQUIREMENTS**

